

PIAB - piGRIP® - 3.5 Bellows

(Shown Actual Size)



piGRIP Vacuum Cup Lip Properties

Lip Type	Lip Durometer	Max Temp. (continuous)	Max Temp. (<10 seconds)	Color	Material
Flex	30°	176°	248°	Yellow	TPE
	Ideal for handling warm molded parts that are curved and/or textured. Silicone free and mark free. FDA approved material.				
Standard	50°	176°	248°	Blue	TPE
	Ideal for handling warm molded parts that are flat and smooth. Silicone free and mark free. FDA approved material.				
Flex	50°	176°	248°	Blue	TPE
	Ideal for general purpose handling of parts that are slightly uneven, textured, or rough (including cardboard) Material same as above.				
Standard	50°	176°	248°	Green	TPE
	Ideal for general purpose handling of parts that are flat and sealed. Very high wear resistance. Material same as above.				
Foam	60°	176°	248°	Black	EPDM



Cup Ø / Lip	Quick#	Part#	Durometer	Price
25mm, Standard	5905	S25T50-3-8M	50°	\$12.63
	5926	S25T60-3-8M	60°	\$11.72

Nipple Included: G1/8" Male




Cup Ø / Lip	Quick#	Part#	Durometer	Price
28mm, Flex	5902	FX28T30-3-8M	30°	\$18.50
	5929	FX28T50-3-8M	50°	\$14.93

Nipple Included: G1/8" Male



Cup Ø / Lip	Quick#	Part#	Durometer	Price
35mm, Standard	5911	S35T50-3-8M	50°	\$15.59
	5932	S35T60-3-8M	60°	\$14.39

Nipple Included: G1/8" Male



Cup Ø / Lip	Quick#	Part#	Durometer	Price
39mm, Flex	5908	FX39T30-3-8M	30°	\$24.81
	5935	FX39T50-3-8M	50°	\$17.80

Nipple Included: G1/8" Male